

# INDEX MAPS.

## T. 11N, R. 1E. 2<sup>nd</sup> Mer.

	315		315		314		314		313		313	
317	6	342	5	336	4	331	3	327	2	322	1	312
	<del>342</del>		<del>341</del>		<del>336</del>		<del>331</del>		<del>326</del>		<del>321</del>	
317	7	341	8	335	9	331	10	326	11	321	12	312
	<del>341</del>		<del>340</del>		<del>335</del>		<del>330</del>		<del>325</del>		<del>321</del>	
316	18	340	17	334	16	330	15	325	14	320	13	312
	<del>340</del>		<del>339</del>		<del>334</del>		<del>329</del>		<del>325</del>		<del>320</del>	
316	19	339	20	334	21	329	22	324	23	319	24	312
	<del>338</del>		<del>338</del>		<del>333</del>		<del>328</del>		<del>324</del>		<del>319</del>	
316	30	338	29	333	28	328	27	323	26	318	25	311
	<del>337</del>		<del>337</del>		<del>332</del>		<del>328</del>		<del>323</del>		<del>318</del>	
315	31	337	32	332	33	327	34	322	35	317	36	311
	309		309-310		309-310		309-310		309-310		309-311	

## T. 12N, R. 1E. 2<sup>nd</sup> Mer.

	349	349	349	350	350	350						
352	6	381	5	374	4	368	3	363	2	358	1	349
	381		380		374		367		362		358	
352	7	380	8	373	9	367	10	362	11	357	12	348
	379		379		373		366		362		356	
352	18	378	17	372	16	366	15	361	14	356	13	348
	378		378		371		365		361		355	
352	19	377	20	370	21	365	22	360	23	355	24	347
	377		376		370		365		360		354	
351	30	376	29	369	28	364	27	359	26	354	25	347
	376		375		369		364		359		353	
350	31	375	32	368	33	363	34	358	35	353	36	347
	346		346		346		345		345		345	

Meanders 381

The figures on the lines refer to the page.

Township N. 11 North, Range N. 1 East 2. Mer. Indiana

South Boundary.

West 1<sup>st</sup> Mile On Rand<sup>m</sup>. between Town 10 & 11 N. 12 E.

40.00 Let temp<sup>y</sup>. q. Sec. post

80.00 Let temp<sup>y</sup>. Mile Cor. for Sec. 35 & 36, T. 11 N. R. 1 E.

Over broken land, timber Oak &c.

---

West 2<sup>nd</sup> Mile On Rand<sup>m</sup>. between Town 10 & 11 N. 12 E.

39.50 a Creek 50 yds. wide C. & N. E.

40.00 Let temp<sup>y</sup>. q. Sec. post

80.00 Let temp<sup>y</sup>. Sec. post for. Sec. 34 & 35, T. 11 N. R. 1 E.

Over broken land, timber Oak, Beech &c.

---

West On 3<sup>rd</sup> Mile Rand<sup>m</sup>. betw<sup>n</sup>. Town 10 & 11 N. 12 E.

40.00 Let temp<sup>y</sup>. q. Sec. post

80.00 Let temp<sup>y</sup>. Sec. post, Cor. to Sec. 33 & 34, T. 11 N. R. 1 E.

over broken land timber Oak &c.

---

West 4<sup>th</sup> Mile On Rand<sup>m</sup>. betw<sup>n</sup>. Town 10 & 11 N. 12 E.

40.00 Let temp<sup>y</sup>. q. Sec. post.

80.00 Let temp<sup>y</sup>. Sec. post for. Sec. 32 & 33, T. 11 N. R. 1 E.

Land timber &c. same as on the last mile

---

West 5<sup>th</sup> Mile On Rand<sup>m</sup>. betw<sup>n</sup>. Town 10 & 11 N. 12 E.

40.00 Let temp<sup>y</sup>. q. Sec. post

80.00 Let temp<sup>y</sup>. Sec. post for. Sec. 31 & 32, T. 11 N. R. 1 E.

Over broken land timber Oak &c.

---

West 6<sup>th</sup> " Mile " On Random betw<sup>n</sup>. Town 10 & 11 N. 12 E.

37.50 Intersected the 2<sup>nd</sup> Meridian 700 yds. N. of the cor.

---

variation 7° 30' E.

East On S. boundary of Sec. 31, T. 11 N. R. 1 E. 2<sup>nd</sup> Mer.

37.50 Let a post Cor. to Sec. 31 & 32, from which

T.M.N. R1E. 2<sup>d</sup>. Mer. Indiana

a W. Oak 20 mi. diam. bears S40 E 17 lbs. dist. of  
 a Do 12 " " " N73 W5 " "

East On S. boundary of Sec. 32, T11N, R1E.

40.00 Let the q. Sec. post on true line, from which  
 a Maple 8 mi. diam. bears N11 W 20 lbs. dist. of  
 a W. Oak 20 " " " S87 E 26 " "

80.00 Let a post Cor. to Sec. 32 & 33 on true line from which  
 a Beech 11 mi. diam. bears N25 W 8 lbs. dist. of  
 a W. Oak 18 " " " S4 E 10 " "

East On S. boundary of Sec. 33, Town 11N, R1E.

40.00 Let the q. Sec. post on true line from which  
 a Beech 12 mi. diam. bears N60 E 17 lbs. dist. of  
 a W. Oak 12 " " " S12 W11 " "

80.00 Let a post Cor. to Sec. 33 & 34 on true line from which  
 a Beech 20 mi. diam. bears S59 E 36 lbs. dist. of  
 a Sugar 9 " " " N79 W11 " "

East On S. boundy. of Sec. 34, Town 11N, R1E.

40.00 Let the q. Sec. post on true line from which  
 a Sugar 12 mi. diam. bears S73 E 35 lbs. dist. of  
 a Beech 10 " " " N41 E 35 " "

80.00 Let a post Cor. to Sec. 34 & 35 on true line from which  
 a W. Oak 9 mi. diam. bears N81 E 10 lbs. dist. of  
 a Do 6 " " " N61 W6 " "

East On S. boundy. of Sec. 35, T11N, R1E. 2<sup>d</sup>. Mer.

40.00 Let the q. Sec. post on true line, from which  
 a Sugar 10 mi. diam. bears N42 E 18 lbs. dist. of  
 a Do 10 " " " S12 E 17 " "

80.00 Let a post Cor. to Sec. 35 & 36 on true line from which  
 a W. Oak 24 mi. diam. bears S87 E 33 lbs. dist. of

311  
T.M. N. R. 1 E. 2<sup>d</sup>. Mer. Indiana

a W. Oak 10 mi. dist. bears N 83° W 28 lks. dist

---

East On S. boundary of Sec. 36. Town N. N. R. 1 E.  
40.00 At the q. Sec. post on true line from which  
a Poplar 12 mi. dist. bears S 64° E 11 lks. dist of  
a Beech 9 " " " N 36° W 9 " "  
80.00 Intersected the Cor. of Town 10<sup>th</sup> N. Range 1<sup>st</sup> E.  
July 1<sup>st</sup> 1814

---

East Boundary var. E. 15° E.  
North On E. boundary of Sec. 36. T. 11 N. R. 1 E.  
35.68 a Beech 27 mi. dist.  
37.00 a Branch 15 lks. wide Cr. S. W.  
40.00 At the q. Sec. post, from which  
a Beech 18 mi. dist. bears N 12° W 20 lks. dist of  
a Do 6 " " " S 62° E 5 " "  
46.50 a Creek 25 lks. wide Cr. W.  
71.04 a Beech 24 mi. dist.  
80.00 At a post Cor. to Sec. 25 & 36, from which  
a Beech 6 mi. dist. bears N 64° W 18 lks. dist of  
a Do 9 " " " S 62° W 32 " "  
Good farming land, timber Beech, Sugar, under  
Spice &c.

---

North On E. boundary of Sec. 25, T. 11 N. R. 1 E.  
0.40 a Beech 20 mi. dist.  
14.00 a Creek 100 lks. wide Cr. S. W.  
40.00 At the q. Sec. post, from which  
a Beech 10 mi. dist. bears S 30° E 8 lks. dist of  
a Do 8 " " " N 47° E 19 " "  
45.50 a Branch 12 lks. wide Cr. S. W.  
60.00 a Creek 30 " " " S. W.  
80.00 At a post Cor. to Sec. 24 & 25, T. 11 N. R. 1 E, from which



T11 N. R1 E. 2<sup>d</sup>. Mer. Indiana

a Sugar 20 in. dia. beam N 21 E 13 lks. dist. of  
 a Beech 10 " " " S 71 E 10 " "  
 2<sup>d</sup>. rate land timber Beech, Sugar &c. undg<sup>d</sup>. Spice

North On E. boundary of Sec. 24, T11 N. R1 E.

18.84 a W. Oak 42 in. dia.

40.00 At a post for q. Sec. Cor. from which  
 an Oak 20 in. dia. beam S 17 E 11 lks. dist. of  
 a Beech 10 " " " S 85 W 15 " "

57.94 an Oak 36 " "

74.50 a Branch 20 lks. wide C.P. S.W.

80.00 At a post Cor. to Sec. 13 & 24, T11 N. R1 E. from which  
 a Beech 27 in. dia. beam N 67 E 23 lks. dist. of  
 a Do 12 " " " S 47 W 11 " "  
 Good farming land, timber same as on the last mile

North On E. boundary of Sec. 13, T11 N. R1 E.

23.39 an Oak 27 in. dia.

40.00 At the q. Sec. post, from which  
 a Beech 6 in. dia. beam S 20 W 14 lks. dist. of  
 a Do 8 " " " N 65 E 10 " "

70.00 a Sugar 22 " "

80.00 At a post Cor. to Sec. 12 & 13, from which  
 a Beech 21 in. dia. beam N 86 E 22 lks. dist. of  
 a Do 9 " " " S 66 W 15 " "  
 Broken land, Beech, Sugar, Poplar, Ash, Spice

North On E. boundary of Sec. 12, T11 N. R1 E.

24.50 a Branch 4 lks. wide C.P. S.W.

31.00 a Do 4 " " " S.W.

33.50 a Poplar 36 in. dia.

40.00 At the q. Sec. post from which  
 a Sugar 30 in. dia. beam N 63 W 35 lks. dist. of

# T11 N. R1 E. 2<sup>d</sup>. Mer. Indiana

a Sugar 24 mi. dist. bears S44 E 41 lbs. dist. of  
 80.00 Let a post Cor. to Sec. 16, 12, T11 N. R1 E, from which  
 a Beech 10 mi. dist. bears N30 W 33 lbs. dist. of  
 a Do. 14 " " " S69 E 32 " "  
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 1, T11 N. R1 E.  
 13.00 a Creek 30 lbs. wide C.P. St.  
 30.25 a Beech 33 mi. dist.  
 40.00 Let the q. Sec. post, from which  
 a Beech 12 mi. dist. bears S62 W 20 lbs. dist. of  
 a Sugar 10 " " " N25 W 6 " "  
 64.02 a Beech 25 " "  
 78.00 Let a post Cor. to Town 11 & 12 St. Range 16 & 2 E.  
 2<sup>d</sup>. Meridian from which  
 a Beech 7 mi. dist. bears S65 W 24 lbs. dist. of  
 a Sugar 12 " " " S80 E 26 " "

## North Boundary

West On S. boundary of Sec. 36, T12 N. R1 E.  
 4.94 a Beech 20 mi. dist.  
 40.00 Let the q. Sec. post, from which  
 a Sugar 10 mi. dist. bears S83 E 26 lbs. dist. of  
 a Do 8 " " " S84 W 22 " "  
 51.00 a Creek 25 lbs. wide C.P. St.  
 65.76 a Beech 14 mi. dist.  
 80.00 Let a post Cor. to Sec. 35 & 36, T12 N. R1 E, from which  
 a ——— 14 mi. dist. bears S37 E 5 lbs. dist. of  
 a Do 20 " " " S12-12 " "  
 Over rolling land, timber Beech, Sugar, Poplar,  
 Spruce &c. undergrowth.

West On S. boundary of Sec. 35, T12 N. R1 E.

T1N R1E, 2<sup>d</sup> Mer. Indiana

- 11.92 a Beech 18 in. dia.  
 40.00 At the q. Sec. post, from which  
 an Ash 30 in. dia. bears East 6 lks. dist. of  
 a Beech 8 " " " S 84 W 13 " "  
 55.30 a Poplar 36 " "  
 80.00 At a post Cor. to Sec. 34 & 35, T1N R1E, from which  
 a B. Ash 10 in. dia. bears N 56 E 6 lks. dist. of  
 a Hickory 8 " " " S 54 W 19 " "  
 Over rich rolling land, timber Poplar, Beech, Sugar &c  
 undergrowth Spice &c.

- West On S. boundary of Sec. 34, T1N R1E.  
 37.74 a Brook 3 lks. wide C.P.—  
 40.00 At the q. Sec. post, from which  
 a Beech 12 in. dia. bears N 43 E 17 lks. dist. of  
 a Hickory 13 " " " N 29 E — " "  
 64.30 a Walnut 30 " "  
 80.00 At a post Cor. to Sec. 33 & 34, T1N R1E, from which  
 a Beech 20 in. dia. bears N 85 E 50 lks. dist. of  
 a Do 20 " " " S 37 W 26 " "  
 Over level rich land, timber Maple, Poplar ash &c.  
 underg<sup>th</sup>. Spice &c

- West On S. boundy. of Sec. 33, T1N R1E, 2<sup>d</sup> Mer  
 22.00 a Beech 18 in. dia.  
 40.00 At the q. Sec. post, from which  
 a Sugar 12 in. dia. bears N 10 W 23 lks. dist. of  
 a Beech 8 " " " S 41 E 20 " "  
 58.30 a Sugar 20 " "  
 80.00 At a post Cor. to Sec. 32 & 33, T1N R1E, from which  
 a Red Oak 8 in. dia. bears S 83 E 24 lks. dist. of  
 a Do 9 " " " N 70 W 5 " "  
 Over rich land, timber Sugar, Ash, Beech &c.



## T11 N. R1 E. D. Mer. Indiana

West On S. boundry of Sec. 32, T12 N. R1 E.

18.05 a Cherry 24 in. dia.

37.50 a Pond 20 lbs. N4 S.

40.00 At the q. Sec. post, from which  
a Red Bud 6 in. dia. bears N66 W 5 lbs. dist. of  
a Do 6 " " " S66 W 6 " "

80.00 At a post Cor. to Sec. 31 & 32, T12 N. R1 E. from which  
a Buckeye 10 in. dia. bears S70 E 25 lbs. dist. of  
a Do 12 " " " N21 E 8 " "  
Rich Soil low ground, timber Maple, Hackberry  
Buckeye &c.

West On S. boundry of Sec. 31, T12 N. R1 E. D. Mer.

5.00 a Sycamore 10 in. dia.

20.62 At a post on the E. bank of M. River from which  
a Sycamore 12 in. dia. bears N45 W 26 lbs. dist. of  
a Do 10 " " " N71 E 10 " "  
River 732 lbs. wide C.P. N. E. & S. W.

28.14 At a post on the W. bank of the River from which  
a Sycamore 24 in. dia. bears N67 E 2 lbs. dist. of  
a Do 12 " " " S30 W 2 " "

37.80 Intersected the Town Corner.

Surveyed by John McDonald, D. S.

West Boundary or D. Principal Meridian  
variation 6° 10' E.

North On E. boundary of Sec. 36, T11 N. R1 W.

40.00 At the q. Sec. post, from which  
a W. Oak 20 in. dia. bears N61 E 10 lbs. dist. of  
a Do 10 " " " S4 W 15 " "

57.00 a Creek 20 lbs. wide C.P. W.

80.00 At a post Cor. to Sec. 25 & 36, T11 N. R1 W. from which  
a Sugar 15 in. dia. bears S15 E 25 lbs. dist. of  
a Beech 5 " " " N84 W 20 " "



T.M. N. R. 1 E. 2<sup>d</sup>. Mer. Indiana

Land hilly 2<sup>nd</sup> rate Soil, timber Oak, Beech,  
Sugar, Tuesday May 24<sup>th</sup>. 1819.

- x North On E. boundary of Sec. 25, T.M. N. R. 1 W.  
40.00 At the q. Sec. post, from which  
a Sugar 8 m. diam. bears N 69 E 9 lks. dist. of  
a Beech 12 " " " N 30 E 16 " "  
80.00 At a post Cor. to Sec. 24 & 25, T.M. N. R. 1 W. from which  
a Beech 10 m. diam. bears N 62 E 7 lks. dist. of  
a Hickory 8 " " " S 53 E 15 " "  
S<sup>1</sup>/<sub>2</sub> land same, N<sup>1</sup>/<sub>2</sub> land same post rock, resembles  
river bottom, Beech, Oak, Hickory &c

- x North On E. boundy. of Sec. 24, T.M. N. R. 1 W.  
40.00 At the q. Sec. post, from which  
a Beech 24 m. diam. bears N 73 E 22 lks. dist. of  
a W. Beech 5 " " " S 13 W 10 " "  
46.00 a Brook 20 lks. wide C.P. W.  
80.00 At a post Cor. to Sec. 13 & 24, T.M. N. R. 1 W. from which  
a Beech 10 m. diam. bears N 16 W 19 lks. dist. of  
a Hickory 27 " " " S 69 W 10 " "  
1<sup>st</sup> rate bottom land, Beech, Sugar, Hickory & Ash

- North On E. boundy. of Sec. 13, T.M. N. R. 1 W.  
40.00 At the q. Sec. post, from which  
a Sugar 12 m. diam. bears S 57 E 26 lks. dist. of  
a Do 24 " " " S 78 W 33 " "  
57.50 a Brook 8 lks. wide C.P. E.  
78.00 a Creek 100 lks. wide C.P. S.W.  
80.00 At a post Cor. to Sec. 12 & 13, T.M. N. R. 1 W. from which  
a Beech 10 m. diam. bears N 89 E 28 lks. dist. of  
a Do 30 " " " N 79 W 38 " "  
S<sup>1</sup>/<sub>2</sub> land same - N<sup>1</sup>/<sub>2</sub> hilly

# T.M. N. P. E. 2<sup>d</sup>. Mer. Indiana

North On E. boundary of Sec. 12, T. 11 N. R. 1 W.  
 40.00 At the q. Sec. post, from which  
 a Hackberry 12 in. dia. bears N 70 W. 1/2 m. dist. of  
 a do 18 " " " N 50 E 42 " "  
 72.00 to Bayou  
 80.00 At a post Cor. to Sec. 16, 12, T. 11 N. R. 1 W. from which  
 a Cottonwood 24 in. dia. bears N 41 E 15 1/2 m. dist. of  
 a do 18 " " " N 16 W 22 " "  
 1<sup>st</sup> rate bottom which overflows

---

North On E. boundary of Sec. 1, T. 11 N. R. 1 W.  
 40.00 At the q. Sec. post, from which  
 a Sycamore 10 in. dia. bears S 9 W. 10 1/2 m. dist. of  
 a do 15 " " " N 40 W 20 " "  
 45.63 to a Sycamore 12 in. dia. for. cor. on the bank  
 of White River  
 56.89 to a Sycamore 20 in. dia. for corner on the N.W. bank  
 of White River  
 80.00 At a post Cor. to Town of 12 N. Range 1 E of  
 T. 11 N. 2<sup>d</sup>. Mer. from which  
 a Beech 10 in. dia. bears N 82 E 10 1/2 m. dist. of  
 a do 30 " " " S 84 W 26 " "  
 Land timber &c. same as on the last mile  
 Surveyed by William Harris, Dep. Sur.

---

Subdivision var. 5.55' E  
 North Between Sec. 35 & 36, T. 11 N. R. 1 E 2<sup>d</sup>. Mer.  
 21.25 a Hickory 10 in. dia.  
 40.00 At the q. Sec. post, from which  
 a Dogwood 3 in. dia. bears N 62 E 9 1/2 m. dist. of  
 a Sassafras 8 " " " S 64 W 14 " "  
 51.74 a Beech 22 " "  
 67.10 a Beech 18 " "

# T.M.N. P.C.E. 2<sup>nd</sup>. Mer. Indiana

80.00 At a post Cor. to Sect. 25, 26, 35, 36, from which  
a Beech 5 in. diam. bears S 30 W 14 lbs. dist. of  
a Poplar 48 " " " S 35 E 8 " "  
Broken land part 3<sup>rd</sup> of part 4<sup>th</sup>, rate, Poplar, W. of  
P. Oak, Hickory &c. underg<sup>th</sup> P. Hickory, Dogwood.  
Birch, Buckeye &c.

East On Randm. betw<sup>n</sup> Sect. 25 & 36, T.M.N. P.C.E.  
22.00 a Stream 50 lbs. wide C.P. N.W.  
30.00 Same 50 " " " S.W. by W.  
40.00 At tmpt<sup>th</sup> of Sec. post  
80.00 Intersected E. boundary 100 lbs. S. of the post  
Level wet land 2<sup>nd</sup> rate, Elm, Beech, Ash, Hackb<sup>y</sup>.  
Lycamore &c. underg<sup>th</sup> Spruce &c.

West On true line between Sect. 25 & 36, T.M.N. P.C.E.  
20.24 a Hornbeam 5 in. diam. on true line  
40.00 At the q. Sec. post at av<sup>g</sup>. dist. on true line from which  
a Beech 14 in. diam. bears S 57 W 21 lbs. dist. of  
a Ho 18 " " " S 57 E 15 " "  
55.64 an Elm 18 " " on true line  
80.00 Section Corner September 2<sup>nd</sup>. 1819

North Between Sect. 25 & 26, T.M.N. P.C.E. 2<sup>nd</sup>. Mer.  
19.12 a Beech 6 in. diam.  
29.00 a Stream 25 lbs. wide C.P. N.W.  
40.00 At the q. Sec. post, from which  
a W. Oak 28 in. diam. bears N 66 W 8 lbs. dist. of  
a Beech 14 " " " S 69 E 16 " "  
60.10 a Beech 16 " "  
71.18 a Spring branch - lbs. wide C.P. W.  
80.00 an Elm 16 in. diam. Cor. to Sect. 23, 24, 25 & 26, from which  
an Ash 14 in. diam. bears S 55 E 25 lbs. dist. of

# T11 N. R1 E. 2<sup>d</sup>. Mer. Indiana

a W. Oak 14 in. dia. bears S 52 W. 20 lbs. dist. of  
 1<sup>st</sup>. 65.00 level wet land 2<sup>d</sup>. rate timber ash, W. Oak  
 Beech, Elm, &c - last 15.00 broken 3<sup>d</sup>. rate land Poplar  
 ash, Beech, W. Oak &c. undr. 4<sup>th</sup>. Spice

East on Random between Sec. 24 & 25, T11 N. R1 E  
 40.00 at temp. 4. q. Sec. post  
 40.00 enter a Swamp  
 52.50 leave do  
 75.25 a Brook 15 lbs. wide C. S. W. by W.  
 80.25 intersected the N. & S. line 85 lbs. S. of the post.  
 Part Broken & part level & swampy. 3<sup>d</sup>. rate land  
 W. Oak, Beech, Poplar, Ash, Maple, undr. 4<sup>th</sup>.  
 Spice, Ironw. &c

West On true line between Sec. 24 & 25, T11 N. R1 E.  
 21.50 a Beech 12 in. dia. ~~on~~ on true line  
 40.12 1/2 at q. Sec. post at av. dist. on true line, from which  
 a Beech 10 in. dia. bears N 20 E 10 lbs. dist. of  
 an Elm 12 " " " S 37 W 24 " "  
 61.00 Poplar 45 " " on true line  
 80.25 to Sec. Cor. Aug. 31<sup>st</sup>. 1819

North Between Sec. 23 & 24, T11 N. R1 E. 2<sup>d</sup>. Mer.  
 19.00 a Beech 14 in. dia.  
 40.00 at the q. Sec. post, from which  
 a Beech 14 in. dia. bears N 60 E 30 lbs. dist. of  
 a do 18 " " " N 35 W 32 " "  
 66.50 a Hickory 20 " "  
 80.00 at a post Cor. to Sec. 13, 14, 23 & 24, from which  
 a Sugar tree 4 in. dia. bears S 52 E 18 lbs. dist. of  
 a Dogwood 4 " " " S 21 W 27 " "  
 Broken 3<sup>d</sup>. rate land, Hickory, Ash, Sugar Poplar &c.



# St. N. - R. 1 E. 2<sup>nd</sup> Mer. Indiana

underg<sup>th</sup> Spice &c.

East On Random between Sec. 13 & 24, St. N. R. 1 E.

20.10 a Brook 8 lbs. wide C. S. E.

40.00 At temp<sup>y</sup>. of Sec. post

45.00 a Spring branch - lbs. wide C. S.

48.00 a Spring " " " C. S. W.

80.45 Intersected the E. boundary 44 lbs. S. of the post.

Broken rich land, Angon, Ash, Poplar, Beech  
Walnut &c. underg<sup>th</sup> Spice &c.

West On true line between Sec. 13 & 24, St. N. R. 1 E.

17.00 a Poplar 18 in. diam. on true line

40.22 At q. Sec. post on true line, at av. dist. from which

a Beech 5 in. diam. bears S 42 E 20 lbs. dist. of

a Walnut 20 " " " N 47 W 8 " "

80.45 to Sec. Cor. Sept. 3<sup>rd</sup>. 1819

North Between Sec. 13 & 14, St. N. R. 1 E. 2<sup>nd</sup> Mer.

15.10 a Beech 18 in. diam.

30.00 a Beech 20 " "

40.00 At the q. Sec. post, from which

a Beech 12 in. diam. bears S 71 W 12 lbs. dist. of

a Elm 28 " " " N 29 E 21 " "

60.95 an Elm 14 " "

71.50 a Brook 12 lbs. wide C. S. W.

80.00 At a post Cor. to Sec. 11, 12, 13 & 14, from which

a Elm 18 in. diam. bears S 20 E 28 lbs. dist. of

a Beech 3 " " " N 65 W 42 " "

Part level quick 2<sup>nd</sup> rate land, part broken but rich  
2<sup>nd</sup> rate land, ash, Walnut, Poplar, Beech, Angon &c.  
underg<sup>th</sup> Spice &c.

# T.M.N. R. 1 E. 2<sup>d</sup>. Mer Indiana

East On Random betw<sup>n</sup>. Secs. 12 & 13 T.M.N. R. 1 E.

37.18 a Spring branch—lks. wide C.P.S.

40.00 At temp<sup>y</sup>. q. Sec. post

41.10 a Spring branch—lks. wide C.P.S. & W.

71.75 a Do Do — " " " S.W. by W.

80.68 Intersected the E. boundary 57 lks. S. of the post.  
Broken 2<sup>d</sup> rate land, Ash, Sugar, Walnut, W. Oak &c.  
undergrowth, Spice &c.

West On true line betw<sup>n</sup>. Secs. 12 & 13, T.M.N. R. 1 E.

19.18 a Beech 40 in. dia., on true line

40.34 At q. Sec. post at av<sup>g</sup>. dist. on true line, from which  
a Hornbeam 5 in. dia. bears S 54° W 6 lks. dist. &  
an Ash 24 " " " N 36° W 15 " "

79.68 a Sugar 18 " "

80.68 to Sec. Cor. Sept. 1<sup>st</sup>. 1819.

North Between Secs. 11 & 12, T.M.N. R. 1 E. 2<sup>d</sup>. Mer.

16.00 a Brook 6 lks. wide C.P. N. W.

19.75 an Ash 20 in. dia.

33.85 a Brook 8 lks. wide C.P. W

40.00 At the q. Sec. post, from which

a Beech 10 in. dia. bears S 54° E 20 lks. dist. &

a Do 4 " " " S 42° W 25 " "

48.00 a Spring branch—lks. wide C.P. S. E.

59.50 a Poplar 60 in. dia. (what an unloving parcel of shingles this would <sup>make</sup>)

80.00 At a post Cor. to Secs. 1, 2, 11 & 12, from which

an Ash 16 in. dia. bears N 52° E 20 lks. dist. &

a Dogwood? 3 " " " N 18° W 21 " "

Part level & part Broken 2<sup>d</sup> rate land, Sugar, ash,  
Hackberry, Poplar, Walnut &c. underg<sup>th</sup>. Spice, ash &c.

East On Random between Secs. 1 & 12, T.M.N. R. 1 E

# St. N. R. E. 2<sup>d</sup>. Mer. Indiana

80.50 Intersected the E. boundary 54 lks. S. of the post.  
 Part broken 2<sup>d</sup> rate land & part level 2<sup>d</sup> rate land  
 ash, Walnut, Hackberry, Oak, Poplar, Beech &c.  
 underg<sup>th</sup> Spruce, Ash &c.

---

West Out true line between Sec. 1 & 2, St. N. R. E.  
 23.85 a Sugar tree 8 in. dia. on true line  
 40.25 At q. Sec. post, at av. J. dist. on true line from which  
 a Beech 10 in. dia. bears S 44 E 10 lks. dist. of  
 a Do 8 " " " N 47 W 38 " "  
 60.35 a Beech 24 " " on true line  
 80.50 to Sec. Cor.

---

North Between Sec. 1 & 2, St. N. R. E. 2<sup>d</sup>. Mer.

21.48 a B. Gum 18 in. dia.  
 40.00 At the q. Sec. post, from which  
 a Beech 5 in. dia. bears S 57 E 14 lks. dist. of  
 a Do 5 " " " N 70 E 15 " "  
 61.00 a Sugar tree 46 " "  
 77.12 Intersected the N. boundary, 127 lks. N. of the post  
 & set a post Cor. to Sec. 1 & 2, from which  
 a Beech 14 in. dia. bears N 60 E 20 lks. dist. of  
 a Dogwood 3 " " " S 51 W 27 " "  
 Part broken 2<sup>d</sup> rate land & part level rich 1<sup>st</sup> rate  
 land, Poplar, Walnut, Hackberry, Sugar &c.  
 undergrowth Spruce &c. Sept. 2<sup>d</sup>. 1819

---

North Between Sec. 34 & 35, St. N. R. E. 2<sup>d</sup>. Mer.

28.87 a W. Oak 16 in. dia.  
 40.00 At the q. Sec. post, from which  
 a Beech 20 in. dia. bears N 5 W 31 lks. dist. of  
 a Dogw. 4 " " " S 71 E 22 " "  
 64.25 a B. Gum 18 " "

# T.M.N. R1 E. 2<sup>nd</sup> Mer. Indiana

74.50 a Spring branch C.P. N.E. & a stone quarry  
 80.00 At a post Cor. to Sec. 26, 27, 34 & 35, from which  
 a B. Gum 28 m. dist. bears N 41 E 15 lks. dist. &  
 a Beech 19 " " " N 70 W 4 " "  
 Broken 3<sup>rd</sup> rate land, W. Oak, B. Oak, Spr. Oak,  
 Hickory, Poplar, B. Gum &c. under <sup>the</sup> Tassapa & Dog-  
 wood &c.

East On Random betw. Sec. 26 & 35, T.M.N. R1 E.  
 40.00 At temp. q. Sec. post  
 46.10 a stream 30 lks. wide C.P. W.  
 79.54 Intersected the N & S. line 57 lks. S. of the post  
 Part broken & part level rich W. Oak, Beech, Poplar  
 Elm, Ash, Sycamore &c. under <sup>the</sup> Spruce &c.

West On true line between Sec. 26 & 35, T.M.N. R1 E.  
 26.75 a Beech 14 m. dist. on true line  
 39.77 At q. Sec. post at av. dist. on true line, from which  
 a Poplar 48 m. dist. bears N 47 E, 22 lks. dist. &  
 a Beech 22 " " " S 10 W 15 " "  
 42.04 a Sycamore 21 " " on true line  
 56.13 a Elm 15 m. dist. on true line  
 79.54 to Sec. Cor.

North Between Sec. 26 & 27, T.M.N. R1 E. 2<sup>nd</sup> Mer.  
 2.20 a Spring branch — lks. wide C.P. N.E.  
 20.12 an Elm 16 m. dist.  
 40.00 At the q. Sec. post, from which  
 a Beech 10 m. dist. bears S 28 E 20 lks. dist. &  
 a Do 6 " " " N 80 E 38 " "  
 71.00 a W. Oak 10 " "  
 73.20 a Brook 10 lks. wide C.P. N. N.E.  
 80.00 At a post Cor. to Sec. 22, 23, 26 & 27, from which



# *M. N. P. E. 2<sup>d</sup>, Mer. Indiana*

a Beech 4 in. diam. bears N 50 E 23 lks, dist. of  
 a Hornbeam 4 " " " N 73 W — " "  
 Part broken 3<sup>d</sup> rate part broken 2<sup>d</sup> rate land  
 Hickory, W. Oak, Elm, Ash, Beech &c. undg.<sup>th</sup> Dog-  
 wood, Sassafras, Spice &c. Sept. 3<sup>d</sup>. 1819

East On Random between Sec. 23 & 26, M. N. P. E.

14.50 a Brook 10 lks. wide C. P. N. E.

38.00 a Stream 50 " " " N. W

40.00 Set tmpp. of Sec. post

79.58 Intersected the N & S. line 14 1/2 lks. S. of post

Part level & post broken, W. Oak, Hickory, Beech  
 &c. undg.<sup>th</sup> Spice ash &c.

West On true line between Sec. 23 & 26, M. N. P. E.

20.57 a Beech 22 in. diam. on true line

39.79 Set of Sec. post at a of. dist. on true line, from which

a Beech 4 in. diam. bears N 46 W 20 lks. dist. of

a Hornbeam 4 " " " N 34 E 28 " "

56.73 a Sugar tree 28 " " on true line

79.58 to Sec. Corner.

North Between Sec. 22 & 23, M. N. P. E.

16.75 a Hickory 24 in. diam.

40.00 Set the of Sec. post, from which

a Hickory 3 in. diam. bears N 25 W 18 lks. dist. of

a W. Elm 16 " " " N 72 E 20 " "

43.50 a Stream 50 lks. wide C. P. N. N. W.

58.10 a Sugar tree 18 in. diam.

80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which

a Sp. Oak 6 in. diam. bears N 60 E 24 lks. dist. of

a Do 12 " " " S 9 W 15 " "

Level wet 2<sup>d</sup> rate land, Beech, Hickory, B. Oak,

# T. N. R. E. 2<sup>d</sup>. Mer. Indiana

Elm, Lycamore, Boxwood, W. Oak &c. under gr<sup>th</sup>.  
Spice, ash, Hazel &c.

East On Random between Sec. 14 & 23, T. N. R. E.

40.00 Set temp<sup>y</sup>. g. Sec. post

80.00 Intersected the N. & S. line 135 lks. S. of the post.  
Post broken & part level land, W. Oak, Hick<sup>y</sup>, ash.  
Angar, Poplar & Spice, ash & undergrowth.

West On true line between Sec. 14 & 23, T. N. R. E.

24.84 a Beech 24 in. diam. on true line

40.00 Set g. Sec. post at an f. dist. on true line, from which  
a Poplar 2 1/2 in. diam. bears N 63 E 16 lks. dist. &  
a Cherry bush 1 1/2 " " " N 41 E 19 " "

56.52 a Beech 18 " " on true line

80.00 to Sec. Cor.

North Between Sec. 14 & 15, T. N. R. E. 2<sup>d</sup>. Mer.

16.50 a Turkey Oak 40 in. diam. at which time enter a Swamp

37.50 leave the Swamp

40.00 Set the g. Sec. post, from which  
a Beech 14 in. diam. bears N 63 E 22 lks. dist. &  
a Do 17 " " " S 32 W 18 " "

60.00 a Beech 22 " "

69.25 a Brook 12 lks. wide C. S. S. W. by W.

80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which  
a Hickory 18 in. diam. bears S 56 E 27 lks. dist. &  
a Beech 14 " " " S 47 W 20 " "  
Level wet 3<sup>d</sup>. rate land, Beech, ash, Oak, Maple  
&c. under gr<sup>th</sup>. Spice, Hazel &c.

East On Random between Sec. 11 & 14, T. N. R. E.

37.68 a Brook 10 lks. wide C. S. S. E.

T.M.N. R1 E. 2<sup>nd</sup>. Mer. Indiana

40.00 At temp. of Sec. post

79.68 Intersected the N & S. line 120 lbs. S. of the corner  
Level 2<sup>nd</sup> of 3<sup>rd</sup> rate land, B. Ash, W. Oak, Hickory  
Beech, &c. underg<sup>th</sup>. Spruce. Sept. 3<sup>rd</sup> 1819.

West On true line between Sec. 11 &amp; 14, T.M.N. R1 E.

17.91 an Ash 18 in. dia. on true line

39.84 At of Sec. post, at av. g. dist. on true line, from which  
a Beech 8 in. dia. bears N 42 E 16 lbs. dist. of  
a Do 4 " " " N 72 W 15 " "

57.43 a Br. Oak 4 " " on true line

79.68 to Sec. Corner

North Between Sec. 10 & 11, T.M.N. R1 E. 2<sup>nd</sup>. Mer.

18.75 a Pur Oak 20 in. dia.

40.00 At the of Sec. post, from which  
a Beech 14 in. dia. bears S 27 E 12 lbs. dist. of  
a Angustree 11 " " " S 35 W 27 " "

63.84 a Butternut 18 " "

80.00 At a post Cor. to Sec. 2, 10, 11, from which  
a Beech 8 in. dia. bears S 33 E 20 lbs. dist. of  
a Hickory 4 " " " S 56 W 16 " "Level 2<sup>nd</sup> rate land, Pur & Turkey Oak, B. Ash,  
Hickory, Beech &c. underg<sup>th</sup>. Spruce, Hazel &c

East On Random between Sec. 2 &amp; 11, T.M.N. R1 E.

13.00 a Spring branch - lbs. wide C.S. S.W.

29.50 a Do do - " " " S.W. by W

35.50 a Do do - " " " S.W. by W

40.00 At temp. of Sec. post

79.75 Intersected the N & S. line 50 lbs. S. of the corner,  
Part level & post broken 2<sup>nd</sup> rate land, ash, Beech, Walnut,  
Hackb. &c. underg<sup>th</sup>. Spruce, Ash, Hazel &c.

# T. M. N. R. E. 2<sup>d</sup>. Mer. Indiana

West On true line between Sec. 2 & 11, T. M. N. R. E. 2<sup>d</sup>. Mer.  
 17.08 an Ash 18 in. dia. on true line  
 39.87 Let the q. Sec. post, at av. dist. on true line from which  
 a Beech 14 in. dia. bear N 49 E 29 lbs. dist. &  
 an Ash 16 " " " N 45 W 31 " "  
 53.25 a W. Oak 12 " " on true line  
 79.75 to Sec. Cor.

North Between Sec. 2 & 3, T. M. N. R. E. 2<sup>d</sup>. Mer.  
 20.50 a Sugar 24 in. dia.  
 40.00 Let the q. Sec. post, from which  
 a W. Oak 10 in. dia. bear S 67 E 25 lbs. dist. &  
 a Beech 4 " " " N 65 W 18 " "  
 62.80 a Sp. Oak 18 " "  
 78.74 Intersected the st. boundary 250 lbs. W. of post  
 Let a post Cor. to Sec. 2 & 3, from which  
 a Beech 20 in. dia. bear S 55 W 25 lbs. dist. &  
 a Hickory 4 " " " N 18 W 20 " "  
 Part level & part broken 2<sup>d</sup>. rate land, Hackberry, ash,  
 Hickory, Beech, Sugar tree Oak &c. undag. Spruce  
 ash, Hazel, birch &c. Sept. 4<sup>th</sup>, 1819.

North Between Sec. 33 & 34, T. M. N. R. E. 2<sup>d</sup>. Mer.  
 18.10 a Hickory 16 in. dia.  
 28.75 a Beech 14 " "  
 40.00 Let the q. Sec. post from which  
 a Hickory 8 in. dia. bear N 31 W 15 lbs. dist. &  
 a Dogwood 3 " " " N 65 E 14 " "  
 63.38 a Hickory 18 " "  
 80.00 Let a post Cor. to Sec. 27, 28, 33 & 34, from which  
 a Dogwood 4 in. dia. bear N 53 E 15 lbs. dist. &  
 a Hornbeam 5 " " " S 25 E 21 " "  
 Broken 3<sup>d</sup>. rate land, Sp. Oak, W. Oak, Poplar &c.



# Plot R1E 2<sup>d</sup>. Mer. Indiana

under <sup>th</sup> Dogwood, Hornbeam, Sassafras, birch &c.

East On Random betw<sup>n</sup> Sec<sup>s</sup>. 27 & 34, Plot R1E  
 40.00 At temp<sup>y</sup>. of Sec. post  
 79.00 a Spring, branch W. N. E.  
 80.14 Intersected the N & S. line 12 hrs. S. of the post  
 Broken 4<sup>th</sup> rate land, Sp. W. & Chestnut Oak, Hickory  
 Beech &c. under <sup>th</sup> Hick<sup>y</sup>, Sassafras, birch &c.

West On true line between Sec<sup>s</sup>. 27 & 34 Plot R1E  
 19.64 a Hickory 16 in. dia. on true line  
 40.07 At of Sec. post at ap<sup>y</sup>. dist. on true line from which  
 a Sassafras 4 in. dia. bears N 43 E 18 hrs. dist. &  
 a Hickory 6 " " " N 19 W 12 " "  
 60.39 a Sp. Oak 15 " " on true line  
 80.14 to Sec. Corner.

North Between Sec<sup>s</sup>. 27 & 28, Plot R1E 2<sup>d</sup>. Mer.  
 16.94 a Beech 24 in. dia.  
 40.00 At the of Sec. post, from which  
 a B. Oak 4 in. dia. bears N 45 E 10 hrs. dist. &  
 a Beech 5 " " " S 31 W 18 " "  
 59.75 a Maple 12 " "  
 80.00 At a post Cor. to Sec<sup>s</sup>. 21, 22, 27 & 28, Plot from which  
 a Hick<sup>y</sup> 14 in. dia. bears N 42 E 13 hrs. dist. &  
 a Dogwood 5 " " " S 52 W 30 " "  
 Broken 3<sup>d</sup> rate land, W & B. Oak, Beech, Hickory  
 Poplar &c. under <sup>th</sup> Dogwood, Hornbeam, Hick<sup>y</sup>, birch &c.

East On Random between Sec<sup>s</sup>. 22 & 27, Plot R1E  
 40.00 At temp<sup>y</sup>. of Sec. post  
 79.10 Intersected the N & S. line 58 hrs. S. of post  
 1<sup>st</sup> of mile, broken 3<sup>d</sup> rate land 2<sup>nd</sup> of mile level

# Tl. N. R. E. 2<sup>nd</sup> Mer. Indiana

2<sup>nd</sup> rate land W. Sp. Oak, Beech, Poplar, Elm, Ash &c  
underg<sup>th</sup>. Sassafras, Hickory, birch, Hazel &c

West On true line between Sec. 22 & 27, Tl. N. R. E.  
20.42 an Elm 14 in. dia. on true line  
39.55 At g<sup>th</sup>. Sec. post at av. dist. on the true line from which  
a Sassafras 2 in. dia. bears S 52 E 5 lks. dist. &  
a Do 2 1/2 " " " N 31 E 14 " "  
59.35 a W. Oak 22 " " on true line  
79.10 to Sec. Cor. Sept. 6<sup>th</sup>. 1819

North Between Sec. 21 & 22, Tl. N. R. E. 2<sup>nd</sup> Mer.  
21.75 an Ash 14 in. dia.  
40.00 At the g<sup>th</sup>. Sec. post, from which  
a Chestnut Oak 5 in. dia. bears S 32 E 18 lks. dist. &  
a Do 7 " " " S 37 W 20 " "  
62.42 a Beech 14 in. dia.  
80.00 At a post Cor. to Sec. 15, 16, 21 & 22, from which  
a Dogwood 3 in. dia. bears N 75 E 20 lks. dist. &  
a W. Oak 4 " " " N 39 W 10 " "  
Broken 4<sup>th</sup> rate land, W. Sp. & Chestnut Oak, B. Hickory,  
underg<sup>th</sup>. Sassafras, Sp. Oak, Huckleberry birch &c.

East On Random between Sec. 15 & 22, Tl. N. R. E.  
40.00 At temp<sup>ly</sup> g<sup>th</sup>. Sec. post  
53.25 a stream 50 lks. wide C. S. N. R.  
78.93 Intersected the et & S. line at the post. First 1/2  
mile Broken 1<sup>st</sup> rate land. Sp. Oak, Hickory, Chestnut Oak  
last 1/2 mile level 2<sup>nd</sup> rate land, Beech, Elm, W. Oak,  
Lycamore &c. underg<sup>th</sup>. Hickory, Sp. Oak, Huckleberry  
Spice, Hazel &c.

West On true line between Sec. 15 & 22, Tl. N. R. E.

## T.M. R. E. D. Mer. Indiana

- 10.11 a Beech 14 in. dia. on true line  
 39.46 Set q. Sec. post at av. dist. on true line, from which  
 a Beech 34 in. dia. bears N 55 E 15 lbs. dist. &  
 a Hornbeam 3 " " " S 58 - 10 " "  
 68.46 a Poplar 14 " " on true line  
 78.93 to Sec. Corner.
- 

North Between Sec. 15 & 16, T.M. R. E. D. Mer.

- 19.90 a Hickory 14 in. dia.  
 22.00 a Brook 10 lbs. wide C. N. W.  
 40.00 Set the q. Sec. post, from which  
 a Hornbeam 4 in. dia. bears N 79 E 19 lbs. dist. &  
 a Dogwood 3 " " " S 10 W 11 " "  
 59.00 a Stream 5 lbs. wide C. N.  
 66.48 a Beech 35 in. dia.  
 80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which  
 a Sugar tree 6 in. dia. bears N 67 E 21 lbs. dist. &  
 a Beech 6 " " " S 45 E 11 " "  
 Part, broken 4<sup>th</sup> rate land - and part level 2<sup>d</sup> rate land  
 Sp. & W. Oak, Hickory, Beech, Ash, Sycamore, Sugar etc.  
 undg<sup>th</sup> Sp. Oak, B. Hickory, Ironw. Spice etc.
- 

East On Random between Sec. 10 & 15, T.M. R. E. D.

- 40.00 Set temp. q. Sec. post  
 78.75 Intersected the N & S. line 35 lbs. S. of the post  
 Level w. 2<sup>d</sup> rate land Beech, Br. Oak, Sycamore  
 Swamp, Oak, Elm, Maple etc. undg<sup>th</sup> Spice, ash etc.
- 

West On true line between Sec. 10 & 15, T.M. R. E. D.

- 17.75 a Beech 14 in. dia. on true line  
 39.87 Set q. Sec. post, at av. dist. on true line from which  
 a Beech 6 in. dia. bears S 32 W 18 lbs. dist. &  
 a Beech 12 " " " N 63 W 45 " "

# T11 N. R1 E. 2<sup>d</sup>. Mer. Indiana

54.63 a Sugar tree 18 in. dia. on true line  
78.75 to Sec. Corner. Sept. 7. 1819

North Between Sec. 9 & 10, T11 N. R1 E. 2<sup>d</sup>. Mer.

22.30 a Poplar 54 in. dia.

40.00 At the q. Sec. post, from which  
a Sugar 14 in. dia. bears N 20 W 18 lbs. dist. &  
a Dogwood 3 " " " N 25 E 20 " "

58.75 a Spanish Oak 36 in. dia.

80.00 At a post Cor. to Sec. 3, 4, 9, 10, from which  
a Hickory 5 in. dia. bears N 41 E 20 lbs. dist. &  
a Maple 16 " " " S 23 W 24 " "  
Level met 2<sup>d</sup>. rate land Br. Oak, B. Ash, Sweet Elm,  
Hickory, Elm &c. underg<sup>th</sup> Swamp Dogwood, Spice &c.

East On Random between Sec. 3 & 10, T11 N. R1 E.

40.00 At the q. Sec. post temporarily

79.00 Intersected the N & S. line 18 lbs. S. of the post  
Level met 2<sup>d</sup>. rate land Br. Oak, Sweet Elm, Turkey  
Oak Maple &c. underg<sup>th</sup> Spice Hazel &c.

West On true line between Sec. 3 & 10, T11 N. R1 E.

23.50 an Ash 16 in. dia. on true line

39.50 At q. Sec. post at a q. dist. on true line, from which  
a B. Ash 20 in. dia. bears N 64 W 18 lbs. dist. &  
a Do 5 " " " N 44 E 24 " "

60.63 an Elm 14 in. dia. on true line

79.00 to Sec. Corner.

North Between Sec. 3 & 14, T11 N. R1 E. 2<sup>d</sup>. Mer.

22.50 a Beech 18 in. dia.

40.00 At the q. Sec. post, from which  
an Elm 18 in. dia. bears S 26 E 18 lbs. dist. &



# Ill N. R1 E 2<sup>nd</sup>. Mer. Indiana

a Beech 22 in. diam. beam N43 W 19 lks. dist. &  
 59.00 a W. Walnut 14 in. diam. in the line  
 79 92 Intersected the N. Boundary 1.37 lks. W of the Cor.  
 Set a post Cor. to Sec. 3 & 4, from which  
 an Ash 4 in. diam. beam N45 W 12 lks. dist. &  
 a Do 14 " " " N43 E 21 " "  
 Level 3<sup>rd</sup> rate land, Beech, Elm, Ash, W. Oak &c.  
 underg<sup>th</sup> Spice Hazel &c. Sept. 8<sup>th</sup> 1819.

---

North Between Sec. 33 & 32, Ill N. R1 E. 2<sup>nd</sup>. Mer  
 20.00 a W. Oak 16 in. diam.  
 33 50 a Brook 8 lks. wide C.P. S.W.  
 40 00 Set the q. Sec. post. from which  
 a Beech 3 in. diam. beam N59 W 10 lks. dist. &  
 a Do 14 " " " N87 E 20 " "  
 53.00 a Brook 10 lks. wide C.P. S.W.  
 57.00 a W. Oak 16 in. diam.  
 80.00 Set a post Cor. to Sec. 28, 29, 32 & 33, from which  
 a Hickory 14 in. diam. beam N52 W 8 lks. dist. &  
 a Do 16 " " " N25 W 18 " "  
 Broken 3<sup>rd</sup> rate land, W. & Sp. Oak, Beech, Hickory &c.  
 underg<sup>th</sup> Dogwood, Sassafras, Hick. Brier &c.

---

East On Random between Sec. 28 & 33, Ill N. R1 E.  
 40 00 Set temp. q. Sec. post  
 79 75 Intersected the N. & S. line at the post. Broken  
 3<sup>rd</sup> rate land, W. & B. Oak, Beech, Hickory, B. Elm,  
 &c. underg<sup>th</sup> Dogwood, Sassafras, oak, Hick. Huckleberry &c.

---

West On true line between Sec. 28 & 33 Ill N. R1 E.  
 19.45 a Beech 24 in. diam. on true line  
 39.87 Set the q. Sec. post at a q. dist. on true line from which  
 a W. Oak 14 in. diam. beam N36 W 21 lks. dist. &

# T11 N - R1 E. T<sup>r</sup>. Mer. Indiana

a Sassafras 1 in. dia. bray S 50 - 8 lks. dist.  
 63.30 a Sp. Oak 18 in. dia. on true line  
 79.75 to Sec. Corner.

North Between Sec. 28 & 29, T11 N. R1 E. T<sup>r</sup>. Mer.

21.50 a Poplar 16 in. dia.

40.00 At the q. Sec. post from which  
 a W. Oak 4 in. dia. bray N 21 E 16 lks. dist. &  
 a Do 20 " " " S 50 W 22 " "

55.10 a Brook 10 lks. wide C. S. N.

62.75 a Do 8 " " " West.

67.50 a Sp. Oak 40 in. dia. in the line

80.00 At a post Cor. to Sec. 20, 21, 28 & 29, from which  
 an Ash 18 in. dia. bray N 72 E 14 lks. dist. &  
 a Hickory 4 " " " S 46 E 20 " "  
 Broken 3<sup>d</sup> rate land; W & B. Oak, Beech, Sp. Oak,  
 Hickory; undug<sup>th</sup> Sassafras, Hogn. Hick. Birch, Buck-  
 lerry &c. Sept. 9<sup>th</sup> 1819

East On Random between Sec. 21 & 28, T11 N. R1 E.

40.00 At temp. q. Sec. post

79.68 Intersected the N & S. line 12 lks. N. of the post  
 Broken 3<sup>d</sup> rate land; B & W Oak, Chestnut & Sp. Oak  
 Beech, B. Gum &c. undug<sup>th</sup> Hogn. Sassafras, Birch &c

West On true line between Sec. 21 & 28, T11 N. R1 E.

12.11 a B. Gum 18 in. dia. on true line

39.84 At q. Sec. post at av. dist. on true line from which  
 a W. Oak 3 in. dia. bray N 48 E 9 lks. dist. &  
 a Hickory 2 1/2 " " " N 14 E 15 " "

61.88 a W. Oak 14 in. dia. on true line

79.68 to Sec. Corner.

# Ill. N. R. 1 E. 2<sup>d</sup>. Mer. Indiana

North Between Secs. 20 & 21, Ill. N. R. 1 E.

25.75 a Hickory 14 in. dia.

40.00 Let the g. Sec. post from which  
an Elm 8 in. dia. bears N 55 E 10 lbs. dist. &  
an Angar 18 " " " S 60 W 14 " "

59.25 a Sassafras 14 in. dia.

66.14 a Spring branch C. W.

72.00 a Brook 6 lbs. wide C. W. by W.

80.00 Let a post Cor. to Secs. 16 & 17, 20 & 21, from which  
a Sp. Oak 16 in. dia. bears N 65 E 14 lbs. dist. &  
a W. Oak 18 " " " S 62 W 20 " "  
Broken 3<sup>d</sup>. rate land, W & B. Oak, Sp. Oak, Angar &c.  
winding Sassafras, hickory, Oak, birch &c.

East On Randem betw. Secs. 16 & 21 Ill. N. R. 1 E

40.00 Let temp. g. Sec. post

79.85 Intersected the E. boundary 28 lbs. S. of post  
Broken 3<sup>d</sup>. rate land, W & B. Oak, Chestnut Oak,  
Pecch, Hickory &c. winding Sassafras, Dogwood, Ironw.  
Birch, Hickory &c.

West On true line betw. Secs. 16 & 21, Ill. N. R. 1 E

20.73 a Beech 14 in. dia. on true line

39.92 Let g. Sec. post at av. g. dist. on true line from which  
a P. Gum 3 in. dia. bears N 35 E 14 lbs. dist. &  
a Dogwood 3 " " " S 20 E 18 " "

57.40 a P. Gum 24 in. dia. on true line

79.85 Section Corner

North Between Secs. 16 & 17, Ill. N. R. 1 E 2<sup>d</sup>. Mer.

22.15 a P. Gum 24 in. dia.

40.00 Let the g. Sec. post, from which  
a W. Oak 8 in. dia. bears N 53 W 15 lbs. dist. &

# T.M.N. R1 E 2<sup>d</sup>. Mer. Indiana

a Beech 14 in. dia. brang N 77 E 16 lbs. dist. of  
 58.12 a Beech 24 " "  
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which  
 a Beech 15 in. dia. brang N 35 W 26 lbs. dist. of  
 a Hickory 14 " " " S 62 E 10 " "  
 Broken 3<sup>d</sup> rate land, B. Oak, W. Oak, Beech, Hickory,  
 undug<sup>th</sup>, Sassafras, Ironw<sup>d</sup>, Dogw<sup>d</sup>, Birch, &c.  
 September 14<sup>th</sup>. 1819

East On Rand<sup>m</sup>. between Sec. 9 & 16, T11 N. R1 E.  
 20.00 Stream 50 lbs. wide C.P. W. N. N.  
 40.00 Set temp<sup>l</sup>. of Sec. post  
 79.30 Intersected the N & S. line 65 lbs. S. of the post  
 1<sup>st</sup>. 20.00 Broken 3<sup>d</sup> rate land. residue level 3<sup>d</sup> rate  
 land, W. Oak, Hickory, Beech, B. Oak, Maple &c.  
 undug<sup>th</sup>. Oak, Hick<sup>y</sup>, Sassafras, Birch, Spruce &c.

West On true line between Sec. 9 & 16, T11 N. R1 E  
 21.00 a Sugar 16 in. dia. on true line  
 39.65 Set the of Sec. post at av<sup>g</sup>. dist. on true line from which  
 a Beech 14 in. dia. brang S 55 W 18 lbs. dist. of  
 a Do 8 " " " N 52 E 25 " "  
 58.30 a Beech 5 " " on true line  
 79.30 to Sec. Cor. Sept. 10<sup>th</sup>. 1819

North Between Sec. 8 & 9, T11 N. R1 E, D<sup>th</sup>. Mer.  
 12.00 a Stream 50 lbs. wide C.P. W. N. N.  
 24.15 a Beech 14 in. dia.  
 40.00 Set the of Sec. post, from which  
 a Hickory 18 in. dia. brang N 20 E 12 lbs. dist. of  
 a Hornbeam 6 " " " S 25 E 18  
 59.00 a Sugar tree 16 " "  
 80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which



T11 N. R1 E. 2<sup>d</sup>. Mer. Indiana

a Beech 4 in. diam. bears N 63 E 15 lbs. dist. &  
 a Do 18 " " " S 62 W 23 " "  
 1<sup>st</sup> 1/4 mile level out 2<sup>nd</sup> rate land - last level 1<sup>st</sup> rate  
 land, W. Oak, Beech, Sugar, Hackberry, Walnut &c.  
 underg<sup>th</sup>. Spice, pawpaw &c.

East On Random between Sec. 4 & 9, T11 N. R1 E.

40.00 Set temp<sup>l</sup> of Sec. post

78.83 Intersected the N & S. line 93 lbs. S. of the post. Level  
 rich 1<sup>st</sup> rate land, W. O. Walnut, Hackberry, ash, W. Oak,  
 Cherry &c. underg<sup>th</sup>. Spice, pawpaw &c.

West On true line between Sec. 4 & 9, T11 N. R1 E. 2<sup>d</sup>. Mer.

17.60 a Sugar tree 24 in. diam. on true line

39.41 Set of Sec. post at av<sup>g</sup>. dist. on true line, from which  
 a Hackberry 10 in. diam. bears S 45 W 38 lbs. dist. &  
 a Do 5 " " " S 83 E 20 " "

57.78 an Ash 18 in. diam. on true line

78.83 to Sec. Corner.

North Between Sec. 4 & 5, T11 N. R1 E. 2<sup>d</sup>. Mer.

20.10 a Mulberry 10 in. diam.

40.00 Set the of Sec. post, from which

a Hornbeam 5 in diam. bears N 62 E 6 lbs. dist. &

a Walnut 16 " " " S 39 E 14 " "

61.40 an Elm 32 " "

80.34 Intersected the N. boundary 382 lbs. E. of the post &

Set a post Cor. to Sec. 4 & 5, from which

a Hackberry 14 in. diam. bears S 43 E 23 lbs. dist. &

an Ash 12 " " " S 70 W 30 " "

Level rich 1<sup>st</sup> rate land; Walnut, Hackberry, Cherry, ash  
 &c. underg<sup>th</sup>. Spice, ash, Hazel &c. Sept. 13<sup>th</sup>. 1879.

T11 N. R1 E. 2<sup>d</sup>. Mer. Indiana

North Between Secs. 31 & 32, T11 N. R1 E. 2<sup>d</sup>. Mer.

21.50 a W. Oak 18 in. dia.

40.00 At the q. Sec. post, from which  
a Hickory 3 in. dia. bears N 57° W 4 lbs. dist. &  
a W. Walnut 14 " " " S 44° E 8 " "

44.65 a Brook 10 lbs. wide C.P. S. W.

58.50 a Hickory 16 in. dia.

69.15 a Brook 10 lbs. wide C.P. S. S. W.

80.00 At a post Cor. to Secs. 29, 30, 31 & 32, from which  
a Dogwood 4 in. dia. bears S 19° W. 14 lbs. dist. &  
an Ironwood 4 " " " S 45° E 18 " "  
Broken 3<sup>d</sup>. cateland, W. O. Oak, Hickory, Beech &c  
underg<sup>th</sup>. Lassafras, Dogw. Hickory briar &c.

East On Random between Secs. 29 & 32, T11 N. R1 E.

35.10 a Brook 8 lbs. wide C.P. S. W.

40.00 At temp. q. Sec. post

79.05 Intersected the N & S. line 50 lbs. S. of the post  
Broken prov 3<sup>d</sup>. cateland, W. O. Oak, Hickory,  
Chesnut Oak &c. undg<sup>th</sup>. Dogw. Hick. Huckleberry briar &c.

West On true line between Secs. 29 & 32, T11 N. R1 E.

39.02 At the q. Sec. post at av. dist. on true line, from which  
a W. Oak 12 in. dia. bears N 69° W 12 lbs. dist. &  
a Do 6 " " " S 10° W 18 " "

58.30 a Beech 8 " " on true line

79.05 to Sec. Corner September 14<sup>th</sup>. 1819

West Between Secs. 30 & 31, T11 N. R1 E. 2<sup>d</sup>. Mer.

8.25 a Spring branch - lbs. wide C.P. S. W.

22.85 a W. Oak 32 in. dia.

37.83 Intersected the 2<sup>d</sup>. Meridian 18 lbs. N. of the post. &  
At a post Cor. to Secs. 30 & 31, from which

# Ill. N. R. 1 E. 2<sup>d</sup>. Mer. Indiana

a Sugar 18 in. dia. bran N 73 E 27 lbs. dist. of  
 a Beech 4 " " " N 66 E 44 " "  
 Broken 3<sup>d</sup>. rate land; W. Oak, Beech, Sugar, B. Oak &c  
 underg. <sup>th</sup> dogw. ? horn. ? Sassafras, birch, &c.

North Between Sec. 29 & 30, Ill. N. R. 1 E, 2<sup>d</sup>. Mer.

21.90 a Hickory 14 in. dia.

40.00 At the g. Sec. post, from which

a Hickory 12 in. dia. bran N 54 E 14 lbs. dist. of

a Beech 14 " " " N 56 E 20 " "

61.50 a Hickory 18 " "

80.00 At a post Cor. to Sec. 19, 20, 29 & 30, from which

an Elm 18 in. dia. bran N 49 E 18 lbs. dist. of

a Beech 5 " " " N 62 W 14 " "

Broken 3<sup>d</sup>. rate land; Beech, W. B. Oak, Elm, Sugar,  
 &c. underg. <sup>th</sup> Spruce, ash &c

East On Random between Sec. 20 & 29, Ill. N. R. 1 E

27.15 a Brook 14 lbs. wide W. N. W.

40.00 At temp. g. Sec. post

79.75 Intersected the N & S line 125 lbs. S. of the post.

Broken 3<sup>d</sup>. rate land; W. B. & Sp. Oak, Hickory, Beech  
 &c. underg. <sup>th</sup> Sassafras, Hickory, birch &c.

West On true line between Sec. 20 & 29, Ill. N. R. 1 E.

20.29 a W. Oak 24 in. dia. on true line

39.87 At g. Sec. post at a g. dist. on true line, from which

a Beech 14 in. dia. bran N 42 E 18 lbs. dist. of

a Do 12 " " " N 78 E 26 " "

58.63 a Hickory 18 " " on true line

79.75 to Sec. Corner Sept. 15<sup>th</sup>. 1819

West Between Sec. 19 & 30, Ill. N. R. 1 E 2<sup>d</sup>. Mer.

# T11 N. R1 E. T<sup>h</sup>. Mer. Indiana

- 19.75 a Beech 18 in. dia.  
 38.56 Intersected the T<sup>h</sup>. Meridian 138 lbs. N. of the post of  
 let a post Cor. to Sec. 19 & 20, from which  
 a Hickory 20 in. dia. bears S62 E 27 lbs. dist. of  
 a W. Oak 16 " " " N37 W 32 " "  
 Broken 3<sup>rd</sup> rate land; W. & B. Oak, Hickory, ash &c.  
 underg<sup>th</sup>. Spice &c

## North Between Sec. 19 & 20, T11 N. R1 E. T<sup>h</sup>. Mer.

- 18.60 a Sugar 18 in. dia.  
 22.00 a Brook 12 lbs. wide W. & N. W.  
 40.00 let the q<sup>r</sup>. Sec. post, from which  
 a Beech 4 in. dia. bears N68 E 20 lbs. dist. of  
 a Sugar 14 " " " N12 W 25 " "  
 62.15 a Sugar 14 " "  
 80.00 let a post Cor. to Sec. 17, 18, 19 & 20, from which  
 a Beech 24 in. dia. bears N13 W 22 lbs. dist. of  
 a Walnut 10 " " " S35 E 18 " "  
 1<sup>st</sup> 1/2 mile broken 2<sup>nd</sup> rate; last 1/2 mile level rich land,  
 Sugar, ash, Walnut &c, underg<sup>th</sup>. Spice &c.

## East On Random betw<sup>n</sup>. Sec. 17 & 20, T11 N. R1 E.

- 40.00 let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 79.80 Intersected the N & S. line 125 lbs. S. of the post.  
 1<sup>st</sup> 1/2 mile level rich land, balance broken 3<sup>rd</sup> rate land;  
 Sugar, Walnut, Beech, W. & B. Oak, Hickory &c, underg<sup>th</sup>.  
 Spice, Hazle, Sassafras, birch &c.

## West On true line between Sec. 17 & 20, T11 N. R1 E.

- 16.80 a Sugar tree 20 in. dia. on true line  
 39.90 let q<sup>r</sup>. Sec. post at a q<sup>r</sup>. dist. on true from which  
 a Hickory 5 in. dia. bears N56 W 4 lbs. dist. of  
 a W. Oak 4 " " " S55 W 10 " "



T11 N. R1 E. 2<sup>d</sup>. Mer. Indiana

55.30 a W. Walnut 8 in. dia., on true line  
79.80 to Sec. Corner.

Nest On true line between 18 & 19, T11 N. R1 E  
21.85 a Beech 18 in. dia.  
38.72 Intersected the 2<sup>d</sup>. Meridian 250<sup>th</sup> ft. of the post &  
Set a post Cor. to Sec. 18 & 19, from which  
a Hornbeam 5 in. dia. bears S47 E 18 lbs. dist. &  
an Ash 3 " " " N72 E 31 " "  
Level 1<sup>st</sup>. rate land; Sugar tree, Walnut, Poplar, Beech  
Ash; underg<sup>th</sup>. Spice &c. Sept. 16<sup>th</sup>. 1819.

North Between Sec. 17 & 18, T11 N. R1 E. 2<sup>d</sup>. Mer.  
20.27 a Beech 18 in. dia.  
40.00 At the q<sup>r</sup>. Sec. post, from which  
a Beech 18 in. dia. bears N45 E 18 lbs. dist. &  
an Elm 4 " " " S85 E 20 " "  
56.50 a Stream 54 lbs. wide C.P. S.W.  
67.30 a Sugar tree 18 in. dia.  
80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which  
a Beech 18 in. dia. bears S45 W 12 lbs. dist. &  
a do 5 " " " N62 E 12 " "  
Level 1<sup>st</sup>. rate land; Sugar tree, Walnut, Beech, Ash,  
Sycamore &c. underg<sup>th</sup>. Spice &c.

East On Rand<sup>m</sup>. betw<sup>n</sup> 8 & 17, T11 N. R1 E.  
24.90 a Stream 50 lbs. wide C.P. S.S.W.  
40.00 At temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
79.62 Intersected the N & S. line 24 lbs. S. of the post  
1<sup>st</sup>. 1/2 mile level 1<sup>st</sup>. rate land; Beech, Hackberry, Ash,  
Sugar, Walnut, &c.; 2<sup>d</sup>. 1/2 mile Broken 3<sup>d</sup>. rate land, W &  
B. Oak, Hick<sup>y</sup>. &c. underg<sup>th</sup>. Spice, Sassafras, Hick<sup>y</sup>, gum trees, &c.

# T.M. N. P.E. 2<sup>d</sup> Mer. Indiana

West On true line between Sec. 8 & 17, T.M. N. P.E.

18.87 a Beech 18 in. dia. on true line

39.81 At q. Sec. post at av. dist. on true line, from which  
a Hackberry 15 in. dia. bears N 46 E 8 lbs. dist. &  
a Do 24 " " " S 76 E 15 " "

60.37 a Beech 18 " " on true line

79.62 to Sec. Corner.

West Between Sec. 7 & 18, T.M. N. P.E. 2<sup>d</sup> Mer.

20.82 a Hackberry 14 in. dia.

39.08 Intersected the 2<sup>d</sup> Meridian 339 lbs. N. of post &  
Set a post Cor. to Sec. 7 & 18, from which

a Hickory 5 in. dia. bears N 56 E 10 lbs. dist. &

a White Thorn 4 " " " S 24 E 19 " "

Level rich 1<sup>st</sup> rate land; Walnut, Hackberry, Hickory  
Beech &c. underg<sup>o</sup> Spice &c

North Between Sec. 7 & 8, T.M. N. P.E.

20.14 a Shell bark Hickory 28 in. dia.

40.00 At the q. Sec. post, from which

a Buckeye 5 in. dia. bears N 22 W 14 lbs. dist. &

a Do 10 " " " S 54 W 18 " "

60.30 an Elm 48 " "

80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which

a Hackberry 18 in. dia. bears N 25 W 14 lbs. dist. &

a B. Oak 12 " " " S 73 W 23 " "

Level 1<sup>st</sup> rate land; Walnut, Hackberry, Locust, Beech,  
Hickory &c. underg<sup>o</sup> Spice, paw paw &c. Sept. 17. 1819.

East On Random between Sec. 5 & 8, T.M. N. P.E.

40.00 At temp. q. Sec. post

78.50 Intersected the N & S. line 87 lbs. S. of the post.

Level 1<sup>st</sup> rate land; Walnut, Cherry, W. Oak, Ash,

Tl. N. R. 1 E. 2<sup>d</sup>. Mer. Indiana

fe. undug<sup>th</sup>. Spice, Hazel &c.

West On true line between Sec. 5 & 8, Tl. N. R. 1 E.  
 18.05 an Ash 18 m. dia., on true line  
 39.25 Set of Sec. post at ar. dist. on true line, from which  
 an Ash 16 m. dia., bear S 12 E 15 lks. dist. of  
 a Maple 24 " " " N 10 W 20 " "  
 52.75 a Sugar 42 " " on true line  
 78.50 to Sec. Corner

West Between Sec. 6 & 7, Tl. N. R. 1 E. 2<sup>d</sup>. Mer.  
 22.15 a Hackberry 10 m. dia.  
 39.20 Intersected the 2<sup>d</sup>. Mer. 470<sup>th</sup> N. of the post. of  
 Set a post Cor. to Sec. 6 & 7, Tl. N. R. 1 E. from which  
 a Sycamore 18 m. dia. bear S 60 E 84 lks. dist. of  
 a Maple 14 " " " N 53 E 92 " "  
 Level 2<sup>d</sup>. rate land; Cut with Savannahs, Walnut, Hack-  
 berry, Sycamore, Cottonwood, Maple, fe. undug<sup>th</sup>.  
 Spice, pawpaw, Elm &c.

North Between Sec. 5 & 6, Tl. N. R. 1 E.  
 20.30 a Buckeye 12 m. dia.  
 40.00 Set the of Sec. post, from which  
 a Buckeye bush 3 m. dia. bear N 37 E 10 lks. dist. of  
 a Do 2 1/2 " " " S 51 E 14 " "  
 61.20 an Ash 16 m. dia.  
 71.25 a Savanna 54 lks. wide  
 80.90 Intersected the N. boundary 510 lks. E. of post  
 Set a post Cor. to Sec. 5 & 6, from which  
 a Buckeye 12 m. dia. bear S 30 E 8 lks. dist. of  
 a Do. 16 " " " S 65 W 22 " "  
 Level 1<sup>st</sup>. rate land; Walnut, Hackberry, Locust, Ash, Angusture  
 Sycamore &c. undug<sup>th</sup>. Spice, pawpaw &c. Sept. 20. 1819.

Township N. 11 N. Range N. 1 E. T. 2 Mer. Indiana

Meanders of White River, beginning at a post in the N. boundary, thence down stream on the Left Bank,

S 10 W 20.00

S 35 W 6.00

to a post in the Meridian line  
Thence from a post in the Meridian  
up stream on the right bank.

N 51 E 5.00

N 57 E 7.50

S 26 E 7.00

N 14 E 5.00

N 1 E 4.00

N 16 E 4.50

N 1 E 11.00

N 13 W 1.82

Intersected the Town line between Towns  
N. 12 N. and 6.64 N. of line on N.W. bank  
of White River. Nov. 18th. 1819

Surveyed by Thomas Brown, Dep. Sur.

I certify that the foregoing transcript of field notes  
of Township N. 11 N. Range N. 1 E. T. 2 Mer. Ind.  
has been Comp. with the original notes in this  
office, and found to be Correct.

Surveyor General's Office  
Cincinnati, Dec. 22, 1840

E. S. Cairnes  
Sur. Genl.